

















格见半导体 Draft Only

Gejian Semi. confidential - NDA Restrictions



Title		
Xplorer-GS32F0039_Connectors		
Size	Number	Revision
B	1	
Date:	8/06/2025	Sheet of
File:	D:\Desktop\Xplorer-GS32F0039_Connectors	Drawn By:



GS32F003x Device






默认使用 GPIO41(EQEP) 和 GPIO22 (LED)，电阻焊接



格见半导体 Draft Only


Gejian Semi. confidential - NDA Restrictions

Title			Xplorer-GS32F0039_Device		
Size	Number	Revision			
B	3				
Date:	8/06/2025	Sheet of			
File:	D:\Desktop\Xplorer-GS32F0039_Device\Sc	Down By:			





Title			
Xplorer-GS32F0039_Power			
Size	Number	Revision	
B	3		
Date:	8/06/2025	Sheet of	
File:	D:\Desktop\Xplorer-GS32F0039_Power.Sch	Drawn By:	

USB




Isolation Boundary




ESD




SPI




Oscillator



USB2UART



与板载调试器使用同一组串口，U10与U8 BOM 选择



格见半导体 Draft Only

Gejian Semi. confidential - NDA Restrictions

Title			Xplorer-GS32F0039_FT2232		
Size	Number	Revision			
A3	4				
Date:	8/06/2025	Sheet of			
File:	D:\Desktop\...\Xplorer-GS32F0039_FT2232_Schematic.Byl				

